



meyer
a brand of aebi schmidt

Super-V3

Snowplow



The Meyer® Super-V3™ is your go-to solution for commercial-grade snow removal. It's not about pushing snow; it's about having options at your fingertips. With a simple touch, the Super-V3 shifts from V to scoop or straight blade configuration to handle the changing needs of clearing large parking lots and streets. The Super-V3 is designed for ¾-ton and larger pickup trucks, and we offer the Super-V3 LD carbon steel version for ½-ton pickups with a snow plow prep package.

Highlights

- Available in a **variety of sizes for use with most ¾-ton or ½-ton trucks.**
- **Center-punched cutting edges** allow flipping for extended life.
- Tapered steel or stainless-steel moldboard offering **V, scoop, or straight blade configurations.**
- **Tapered moldboard** for optimal snow clearing and throwing
- Nite Saber® LED lights offer superior **visibility during the darkest nights.**

Your benefits

- **User-Friendly:** Self-diagnostics and Hands-free Plowing (HFP) let users safely focus on the task at hand.
- **Efficient:** Locking double-acting cylinders for efficient back-dragging.
- **Smooth:** Innovative trip-edge moldboards minimize load loss and jarring.
- **Peace of Mind:** Rest easy with our industry-leading 5-year warranty, the best in the business

Performance features

Plow blade

Meyer Super-V3 plows are crafted for efficiency. Tapered wings ensure swift and thorough snow clearing. The trip-edge moldboards let only the lower portion yield upon impact, preserving the load and minimizing shock to the truck and driver. Behind the blade, a robust tubular steel A-frame adds strength, while continuously-welded outside ribs increase performance. Slot and tab construction ensures a precise, trouble-free fit, with laser-cut steel components assembled by robotic welders.

A sealed rubber deflector located between the two wings helps keep snow off the windshield, and pre-drilled holes make adding a snow deflector on the wings super easy. The carbon steel Super-V3 is sealed with Dura-Slick™ paint at the factory to prevent rust, while the stainless-steel versions are powder-coated with Dura-Slick™ paint with Teflon® for superior snow rolling action.



Operating system

The Super-V3 features our Standard Operating System helps set the bar for industry-leading ground clearance. An enclosed power unit, adjustable drop speed, and a pistol grip controller with hands-free plowing, diagnostics, and double-click technology round out the feature set. Need to adjust the moldboard? Double-click a button, and it effortlessly completes the movement without the need for continuous pressing. Standard Nite Saber® LED lights ensure superior night vision to help you get the job done quickly, completely, and efficiently.



Gallery





Related products

Lot Pro

Snowplow



Diamond Edge

Snowplow



Super Blade

Snowplow



Technical data

	SV3 LD 7'6"	SV3 8'6"	SV3 9'6"
Dimensions			
Plow height centre	29 1/2"	29 1/2"	29 1/2"
Plow height right and left	37.4"	38 1/4"	38 1/4"
Clearing width	6' 9" V-shaped	7' 4" V-shaped	8' 3" V-shaped
Total width	7' 6"	8' 6"	9' 6"

Weights			
Approx. weight	654 lbs	864 lbs	905 lbs

	SV3 10'6"	SSV3 8'6"	SSV3 9'6"
Dimensions			
Plow height centre	29 1/2"	29 1/2"	29 1/2"
Plow height right and left	40 1/2"	38 1/4"	38 1/4"
Clearing width	9' 1" V-shaped	7' 4" V-shaped	8' 3" V-shaped
Total width	10' 6"	8' 6"	9' 6"

Weights			
Approx. weight	1,059 lbs	989 lbs	1,045 lbs

	SSV3 10'6"
Dimensions	
Plow height centre	29 1/2"
Plow height right and left	40 1/2"
Clearing width	9' 1" V-shaped
Total width	10' 6"

Weights	
Approx. weight	1,182 lbs



© Aebi Schmidt Group
www.aebi-schmidt.com

Aebi Schmidt North America Inc.
Chilton, WI 53014, USA

All rights reserved. Technical data is subject to change.
Illustrations are not binding. Errors and amendments excepted.

Document created on 14 JUN 2024

