

Base Line - Tailgates

Spreader



When it comes to ice control, Meyer® Base Line tailgate spreaders are a solid choice for road maintenance managers and contractors. They easily attach to vehicles with a 2-inch receiver hitch, making them compatible with most SUVs, light pick-up trucks, tractors, and utility vehicles. Designed for small to medium-sized tasks, the Base Line series is a reliable solution for keeping walkways and driveways ice free.

Highlights

- Made of rust-proof, high-density polyurethane, available in three sizes
- Seamlessly integrates with SUVs, light pick-up trucks, tractors, and utility vehicles with a 2-inch receiver hitch.
- The 1/6 hp direct drive motor and variable speed **controller** gives a spread width of up to 20 feet for precise control, perfect for bagged rock salt.
- Patented coarse brush auger ensures an even distribution of material, including bagged rock salt.

Your benefits

- Versatile: Available sizes and the easy attachment system give you flexibility based on job size and vehicle types.
- Efficient: The direct drive motor and variable speed controller ensure a steady and controlled spread of de-icing agents, including large chunks of material.
- **Durable**: Heavy-duty polymer construction and powder-coated frame mean for years of service.
- Convenient: Intuitive in-cab controller offers easy adjustments for spread patterns and speeds

Performance features

Hopper

The Meyer Base Line spreaders are available in three sizes/capacities, 240 lbs., 400 lbs., and 750 lbs. The material hoppers features long-lasting, rust-proof, high-density polyurethane construction and a locking, moisture-resistant lid designed to prevent leakage of de-icing agent.

Each model attaches using a class-3, 2-inch receiver hitch, and the carbon steel hopper frame is powder-coated to prevent rust. The integrated, tubular-steel motor guard both protects the motor and serves as a storage stand during the off-season.





In-Cab Controller

The Base Line series has an easy-to-use, touch-pad controller, allowing for precise control over spread patterns of up to 25 feet. Using the "faster" button quickly adjusts the speed - fast, slow, and vibrating (using the optional vibrator accessory) - and is easily visible on the controller's display.



Variants

Base Line 240



Base Line 400



Base Line 750



Related products

Drive Pro

Snow plough



Lot Pro Snow plough



Blaster

Spreader



Technical data

	Base Line 240	Base Line 400	Base Line 750
Hopper			
Hopper capacity	0.11 m ³ *	0.18 m ³ *	0.36 m³*
Dimensions			
Hopper width	457.2 mm*	711.2 mm*	889 mm*
Weights			
Empty weight approx.	43.54 kg*	46.72 kg*	59.87 kg*



Aebi Schmidt Holding AG Leutschenbachstrasse 52 CH-8050 Zurich, Switzerland Phone.: +41 44 308 58 00 www.aebi-schmidt.com

© Aebi Schmidt Group All rights reserved. Technical data is subject to change. Illustrations are not binding. Errors and amendments excepted. Document created on 27 FEB 2025









